ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Silo Bollard

Overview

The Silo Bollard is constructed from a combination of case and fabricated aluminum. Designed to illuminate pathways, it also enhances safety by clearly defining property boundaries for drivers. All exterior hardware is corrosion resistant stainless steel, supplied in its natural stainless finish. Color matched hardware is available on request for select finishes; consult factory.

Size

Available in standard 9" diameter with standard height of 9". Custom sizes available.

Electrical

- Watts: 7, 10, 12, and 15W.
- Voltage: 120v through 277v (U). 347-480v (HV).

LED

High performance LED CRI: 80. Color temperature ranges from CCT: 2700K - 5000K. Also available in Amber LED array.

Lens

Acrylic Lens: Frosted Lens (FL), Opal White Lens (OL), or Clear Lens (CL).

Mounting

Heavy duty internal baseplate (IBP) installs on the ground with anchor bolts (four anchor bolts, nuts and washers).

Finish

Outdoor polyester powder coat, available in our Zuma standard finishes with a four-step pretreat process to ensure optimal adhesion and surface integrity. All standard finishes are provided in a fine texture with a matte sheen; additional textures and sheens are available upon request. Also available in custom RAL and in marine grade finish (MGF), specify.

Controls

- Dimming. 0-10v dimming (D) available.
- Photocell: Small button style photocell available in 120v-277v on side of fixture (PC).

Options

- Bollard can be made to "Buy American Compliant" (BAA)[1] and "Build America, Buy America Act Compliant" (BABA)[1] (includes BAA)
- Emergency Battery Backup (EMB)
- Sky Night Friendly (SKY)
- Surge Protection (S): Field installed in the bottom of the bollard.
- Marine grade finish (MGF) available in standard and custom colors, consult factory.
- Vandal Resistance Hardware (VRH): Optional vandal resistant stainless steel hardware installed for added security. [1]

MARINE GRADE FINISH

SKY NIGHT FRIENDLY

BAA / BABA OPTIONAL



Certificates & Warranty

- Designed to comply with UL 8750
- Suitable for Wet Locations
- 5-Year Warranty

Technical

- Operating Temperature: -40°F to 95°F (-40°C to 35°C)

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Silo Bollard

Example Code: SIL-B-7W-U-27K-FL-IBP-BZ8-D-BAA

Item	Wattage	Volts	Color Temp	Lens	Mounting	Finish	Controls	Options
SIL-B Silo Bollard	**7W**	**U** 120-277v	**27K** 2700K	**FL** Frosted Lens	**IBP** Internal Baseplate	**BZ8** Zuma Bronze	**D** Dimming 0-10v	**BAA** Buy American Act Compliant
	10W	**HV** 347-480v	**3K** 3000K	**OL** Opal White Lens		**BK** GT Black	**PC** Photocell	**BABA** Build America, Buy America Act Compliant
	12W		**35K** 3500K	**CL** Clear Lens		**SL** Iridium Silver		**EMB** Emergency Battery Backup
	15W		**4K** 4000K			**WH** Alpine White		**SKY** Sky Night Friendly
	20W		**45K** 4500K			**GR2** Midnight Gray		**S** Surge Protection
	25W		**5K** 5000K			**GRN** Moss Green		**MGF** Marine Grade Finish
	30W		**AMBR** 560nm+			**CCxxx**[1] Custom Color		**VRH** Vandal Resistant Hardware
	40W							

1 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Silo Bollard

Dimensions



MAXIMUM CONDUIT AREA – 4.5" OD
STUB UP - 4" High



Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126