ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Questa Wall Mount

Overview

Specifications Housing This fixture is mounted on walls and provides focused downward lighting, specifically engineered to illuminate pathways and walkways effectively from different installation heights. It delivers forward- projecting light, making it ideal for outdoor walkways and similar applications. Electrical Components Zuma's high-performance LEDs leverage cutting-edge technology to enhance thermal management and ensure longevity. Each fixture is equipped with 80 CRI LEDs, with options for higher or lower CRI values available upon request. Available in Type II, Type III and Type IV distributions with wide choice of color temperatures from CCT (2700K - 5000K). For dynamic lighting control, 0-10V dimming capabilities are available upon request. Additional control options are outlined in the specifications below. For custom integration needs, controls can be tailored to seamlessly connect with existing management systems. For more detailed information or to discuss custom solutions, please contact our sales team. All exterior hardware is corrosion resistant stainless steel, supplied in its natural stainless finish. Color matched hardware is available on request for select finishes; consult factory.

MARINE GRADE FINISH

SKY NIGHT FRIENDLY

BAA / BABA OPTIONAL



Finish

Outdoor polyester powder coat, available in our Zuma standard finishes with a four-step pretreat process to ensure optimal adhesion and surface integrity. All standard finishes are provided in a fine texture with a matte sheen; additional textures and sheens are available upon request. Also available in custom RAL and in marine grade finish (MGF), specify.

Certificates & Warranty

- Designed to comply with UL 8750
- Suitable for Wet Locations
- 5-Year Warranty

Technical

- Operating Temperature: -40°F to 95°F (-40°C to 35°C)

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Questa Wall Mount

Example Code: QUE-WM-7W-U-27K-T2-WM-BZ8-D-BAA

Item	Wattage-Lumens	Volts	Color Temp	Optics	Mounting	Finish	Controls	Options
QUE-WM Questa Wall Mount	**7W** 1960–2260	**U** 120-277v	**27K** 2700K	**T2** Type II	**WM** Wall Mount	**BZ8** Zuma Bronze	**D** Dimming 0-10v	**BAA** Buy American Act Compliant
	10W 2940–3390	**HV** 347-480v	**30K** 3000K	**T3** Type III		**BK** GT Black	**PC** Photocell	**BABA** Build America, Buy America Act Compliant
	12W 2940–4520		**35K** 3500K	**T4** Type IV		**SL** Iridium Silver		**EMB** Emergency Battery Backup
	15W 5880–6780		**40K** 4000K			**WH** Alpine White		**S** Surge Protection
	20W 8820–10170		**45K** 4500K			**GR2** Midnight Gray		**MGF** Marine Grade Finish
			50K 5000K			**GRN** Moss Green		**SKY** Sky Night Friendly
						CCxxx[1] Custom Color		

1 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126


ZUMALIGHTING


Project _____ Type _____ Qty _____


Company _____ Part # _____


Questa Wall Mount

Dimensions









Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126