

AT07 Arm

Construction

The AT07 Arm is fabricated from heavy duty extruded aluminum alloy with an outdoor polyester powder coat finish. Includes stainless steel hardware. Marine grade finish available. Also available in steel, specify.



Arm Configuration

Come in Single, Double, Triple and Quad Arm options, see pg 3.

Arm Sizes

Two (2) standard sizes for fixture sizes frp, 18" through 30". Custom arm sizes also available

- Small (36" H x 18" W): For fixtures 18" Dia. thru 20" Dia. (TA2 Arm Mounting)
- Large: (42" x 26" W): For fixtures 24" Dia. thru 30" Dia. (TA3 Arm Mounting).
- Custom sizes available.

Mounting

AT07 installs on poles (open or tenon), post tops, and for Wall Mount (WM).

Standard Tenon Mounting Options:

- Standard tenon mounting options:
- 2-3/8" O.D. x 4" Long (SF23804)
 - 3" O.D. x 4" Long (SF304)
 - 3-1/2" O.D. x 4" Long (SF3504)
 - 4" O.D. x 4" Long (SF404)
 - Custom Slip fitters available, specify (e.g.: CSFxxx, e.g.: CSF4506 = 4-1/2" O.D. x 6" L, etc.)

Options

- Buy American Act Compliant (BAA)
- Build America, Buy America Act Compliant (BABA. Includes BAA)
- Marine Grade Finish (MGF)
- Horizontal Cross Bar (HCB)
- Decorative Scroll (DSC)





ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

AT07 Arm

Example Code: AT07-S1-3618-SF304-TA2-BZ8-BABA

Item	Material	Arm Configuration	Size	Mounting	Arm Mounting	Finish	Options
AT07 Arm	A Aluminum	S1 Single Arm	3618 36"H x 18"W Ctr to Ctr	SF23804 Fits over a 2-3/8" O.D. x 4" L Tenon	TA2 ¹ Top Arm Mount	BZ8 Zuma Bronze	BAA ² Buy American Act Compliant
	S (Steel)	D70 Double arms at 70°	4226 42"H x 24"W Ctr to Ctr	SF304 Fits over a 3" O.D. x 4" L Tenon	TA3 ³ Top Arm Mount	BK GT Black	BABA ² Build America, Buy America Act Compliant
		D90 Double arms at 90°	Cxxx Custom Arm Size	SF3504 Fits over a 3-1/2" O.D x 4" L Tenon		SL Iridium Silver	MGF Marine Grade Finish
		D180 Double arms at 90°	WM Wall Mount	SF404 Fits over a 4.0" O.D. x 4" L Tenon		WH Alpine White	HCB ⁴ Horizontal Cross Bar
		D180 Double arms at 90°	Cxxx ⁵ Custom Arm Size	CSFxxx ⁵ Custom Slipfitter		GRY Granite Gray	DSC ⁴ Decorative Scroll
		T90 Triple (3) Arms at 90°				GRN Moss Green	
		T120 Triple (3) Arms at 120°				CCxxx ⁶ Custom Color	
		Q90 Quad (4) Four Arms at 90°					

- 1 Top Arm Mounting (TA2). For use with fixture mounting code (TAM2). For 18" Dia. through 20" Dia. Fixtures.
2 Consult our sales team for detailed information on compliance with domestic manufacturing regulations.
3 Top Arm Mounting (TA3). For use with fixture mounting code (TAM3). For 24" Dia. through 30" Dia. Fixtures.
4 Consult factory for Cross Bar & Scroll side view and dimensions.
5 Custom Arm Size (Cxxxx) and Slip Fitter (CSFxxxx) sizes available, consult factory.
6 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.



AT07 Arm

Dimensions & Arm EPA / Weights

AT07 - Top Arm Mount (TA2 & TA3)

Arm Dimensions, EPA and Weights


EPA and Weights*

Arm Info			EPA & Weights *			
ARM No.	ARM CODE	ARM SIZE : H X W (Ctr to Ctr)	SINGLE ARM (S1)		DBLE ARM 180°(D180)	
			EPA ft²	Wt (lbs)	EPA ft²	Wt (lbs)
AT07	3618	36.00" H x 18.00" W	1.0	6.0	1.5	8.62
AT07	4226	42.00" H x 26.00" W	1.4	8.91	2.3	13.76

* Based on a 4" O.D. x 6" Long Slip Fitter.

Above Information for aluminum arms only. For other EPA and Weights for standard or custom aluminum or steel single, double, triple, and quad arms consult factory.

Arm Dimensions



Arm & Fixture Dimensions and Mounting Codes **


Arm(s) Info							Fixture Info	
AT07 ARM SIZE CODE	ARM HT (OAH)	ARM WIDTH - CTR TO CTR (W)	ARM HOOK HEIGHT (H)	Arm Height (D)	HOOK MATERIAL	ARM MOUNTING CODE	FIXTURE MOUNTING CODE	FIXTURE SIZE (DIAMETER)
3618	36.00"	18.00"	15 - 3/16"	20-13/16"	1 - 1/2" SCH 40 PIPE	TA2	TAM2	18" THRU 20" Dia.
4226	42.00"	26.00"	19 - 7/16"	22-9/16"	2" SCH 40 PIPE	TA3	TAM3	24" THRU 30" Dia.

** Information is for aluminum and steel arms. See page 4 for fixture to pole spacing.


Arm Configuration

 Single Arm (S1)	 Dble (2) Arm at 70° (D70)	 Dble (2) Arms at 90° (D90)	 Dble (2) Arms at 90° (D90)
 Triple (3) Arms at 90° (T90)	 Triple (3) Arms at 120° (T120)	 Quad (4) Four Arms at 90° (Q90)	


Arm Options



Horizontal Cross Bar (HCB)



Decorative Scroll (DSC)



Double, Triple, Quad Arm
(Double Arm (D180) Shown for Clarity)


AT07 Arm

Arm and Fixture Spacing

AT07 - Top Arm Mount Fixture Pole Spacing:


AT07 Single Arm (S1) and Washburn and Premier fixtures (18" through 30" Dia.) shown for clarity.

(Dimensions are for reference only. Actual dimensions may vary.)




AT07 S1-3618

Single Arm, 36" H x 18" Ctr to Ctr with Washburn
18" (WAS-18/WASGG-18) on 5" Dia. Pole.




AT07 S1-4226

Single Arm, 42" H x 26" Ctr to Ctr with Washburn
24" (WAS-24/WASGG-24) on 5" Dia. Pole.




AT07 S1-4226

Single Arm, 42" H x 26" Ctr to Ctr with Washburn
30" (WAS-30/WASGG-30) on 5" Dia. Pole.




AT07 S1-3618

Single Arm, 36" H x 18" Ctr to Ctr with Premier
20" (PRM-20/PRMGG-20) on 5" Dia. Pole.



AT07 S1-4226

Single Arm, 42" H x 26" Ctr to Ctr with Premier
24" (PRM-24/PRMGG-24) on 5" Dia. Pole.



AT07 S1-4226

Single Arm, 42" H x 26" Ctr to Ctr with Premier
30" (PRM-30/PRMGG-30) on 5" Dia. Pole.