ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Westward Bollard

Overview

The Westward Bollard is constructed from durable aluminum alloy and finished with a weather-resistant polyester powder coat. Designed to illuminate pathways, it also enhances safety by clearly defining property boundaries for drivers. All exterior hardware is corrosion resistant stainless steel, supplied in its natural stainless finish. Color matched hardware is available on request for select finishes; consult factory.

Size

Available in standard 4" diameter with standard height of 42". Custom sizes available.

Electrical

- Watts: 10, 12, 15, 20 and 30W
- Voltage: 120v through 277v (U). 347-480v (HV).

LED

High performance LED CRI: 80. Color temperature ranges from CCT: 2700K - 5000K. Also available in Amber LED array.

Optics

Available Optics: 180° Optics (T180), 360° Optics (T360).

Lens

Polycarbonate Lens: Clear PC Lens w/ Internal Reflector (CPRI) or Opal White PC Lens (OP).

Mounting

Heavy duty internal baseplate (IBP) installs on the ground with anchor bolts (four anchor bolts, nuts and washers). External base plate (ESM) also available, consult factory.

Finish

Outdoor polyester powder coat, available in our Zuma standard finishes with a four-step pretreat process to ensure optimal adhesion and surface integrity. All standard finishes are provided in a fine texture with a matte sheen; additional textures and sheens are available upon request. Also available in custom RAL and in marine grade finish (MGF), specify.

Controls

- Dimming. 0-10v dimming (D) available.
- Photocell: Small button style photocell available in 120v-277v on side of fixture (PC).
- Motion Sensor (M)

SKY NIGHT FRIENDLY

MARINE GRADE FINISH

BAA / BABA OPTIONAL



Options

- Bollard can be made to "Buy American Compliant" (BAA)[1] and "Build America, Buy America Act Compliant" (BABA)[1] (includes BAA)
- Emergency Battery Backup (EMB)
- Sky Night Friendly (SKY)
- 180° Houseside Shield on Optics (HSSOP)
- Surge Protection (S): Field installed in the bottom of the bollard.
- Marine grade finish (MGF) available in standard and custom colors, consult factory.
- Vandal Resistance Hardware (VRH): Optional vandal resistant stainless steel hardware installed for added security. [1]

Certificates & Warranty

- Designed to comply with UL 8750
- Suitable for Wet Locations
- 5-Year Warranty

Technical

- Operating Temperature: -40°F to 95°F (-40°C to 35°C)

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Westward Bollard

Example Code: WEST-B-0628-10W-U-27K-T180-CPRI-IBP-BZ8-D-BAA

Item	Size	Wattage	Volts	Color Temp	Optics	Lens	Mount	Finish	Controls	Options
WEST-B Westward Bollard	**0628** OD 6.00" x 28"H	**10W**	**U** 120-277v	**27K** 2700K	**T180** Type 180°	**CPRI** Clear PC Lens w/ Internal Reflector	**IBP** Internal Baseplate Mount	**BZ8** Zuma Bronze	**D** Dimming 0-10v	**BAA** Buy American Act Compliant
	0642 OD 6.00" x 42"H	**12W**	**HV** 347-480v	**3K** 3000K	**T360** Type 360°	**OP** Opal White PC Lens	**ESM** External Surface Mount	**BK** GT Black	**PC** Photocell	**BABA** Build America, Buy America Act Compliant
	CH Custom Size	**15W**		**35K** 3500K				**SL** Iridium Silver	**M** Motion Sensor	**EMB** Emergency Battery Backup
		20W		**4K** 4000K				**WH** Alpine White		**SKY** Sky Night Friendly
		30W		**45K** 4500K				**GR2** Midnight Gray		**HSSOP** 180° Houseside Shield (Optics)
				5K 5000K				**GRN** Moss Green		**S** Surge Protection
				AMBR 560nm+				**CCxxx**[1] Custom Color		**MGF** Marine Grade Finish
										VRH Vandal Resistant Hardware

1 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Westward Bollard

Dimensions



Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126