



ZUMALIGHTING

San Tropez

Project _____ Type _____ Qty _____

Company _____ Part # _____

Overview

The San Tropez architectural fixture is fabricated from heavy duty cast aluminum and extruded aluminum base with an outdoor polyester powder coat finish. Comes with a 3 decorative arms (3DA, std) and optional 2 and 4 decorative arms (2DA, 4DA). Also available are optional anti-glare frosted lens. The San Tropez is constructed to meet a variety of classic architectural venues. Designed to install directly on poles or pole tenons and architectural arms that mount on poles or walls. Also available as a wall mount, consult factory. All exterior hardware is corrosion resistant stainless steel, supplied in its natural stainless finish. Color matched hardware is available on request for select finishes; consult factory.

Electrical Components

- Watts : 20w through 160w, Custom watts available, consult factory.
- Voltage: 120v through 277v and High voltage 347V - 480V.

LED

High performance LED CRI: 80. Color temperature ranges from CCT: 2700K - 5000K. Also available in Amber +560nm (AMBR).

Optic

Type II (T2), Type III (T3), Type IV (T4), and Type V (T5)

Lens

- No Lens (NL): for use with Type II through IV (T2, T3, T4, T5) optics.
- Anti-Glare Lens: Anti-Glare Frosted (FDL), Anti-Glare Opal Diffusion (ODL), Anti-Glare Convex Frosted Diffusion (FDLC) for use with Type IV (T4) optics only.

Mounting

- Designed to fit over a 2-3/8" O.D. x 4" L Tenon (SF23804), 3" O.D. x 4" L Tenon (SF304), 3.5" O.D. x 04" L Tenon (SF3504), 4.0" O.D. x 04" L Tenon (or 4.0" O.D. x 4" Long straight pole (SF404).
- Available for use with a custom slip fitter (CSFxxx, e.g.: Specify: CSF3095 = Fits over a 3" O.D. x 9.50" L Tenon, CSF310 = Fits over a 3" O.D. x 10" L Tenon, etc.).
- Wall Mount Version (WM): Wall Mount (WM) version mounts on a wall over a 4" Octagonal through 5" square J-box. Consult factory for specifications.

Finish

Outdoor polyester powder coat, available in our Zuma standard finishes with a four-step pretreat process to ensure optimal adhesion and surface integrity. All standard finishes are provided in a fine texture with a matte sheen; additional textures and sheens are available upon request. Also available in custom RAL and in marine grade finish (MGF), specify.

Controls

- Dimming. 0-10v dimming (D) available.
- Photocell: Mounts to top of fixture (SAM) or side (TAM)

Arms

- Standard with three (3) decorative arms at 120° apart (3DA).
- Also available with two (2) decorative arm at 180° apart (2DA) or with four (4) decorative arm at 90° apart (4DA)



Options

- San Tropez can be made to "Buy American Compliant" (BAA) and "Build America, Buy America Act Compliant" (BABA) (includes BAA)
- SKY = Sky Night Friendly: Downward light only.
- HSS = 180° House Side Shield.
- House Side Shield - Optics (HSSOP): A 180° House Side Shield on the Optic Lens.
- S= Surge Protection: To be field installed in the bottom of the pole.
- Super Durable Marine Grade Finish (MGF) available in standard and custom colors, consult factory.
- FN = Finial
- CS = Concave Scrolls

Certificates & Warranty

- Designed to comply with UL 8750
- Suitable for Wet Locations
- 5-Year Warranty

Technical

- Operating Temperature: -40°F to 95°F (-40°C to 35°C)





San Tropez

Example Code: STR-20W-U-27K-T2-NL-SF23804-BZ8-D-3DA-BAA

Project _____ Type _____ Qty _____

Company _____ Part # _____

Item	Wattage	Volts	Color Temp	Optics	Lens	Mounting	Finish	Controls	Arms	Options
STR San Tropez	20W 1960-2260	U 120-277v	27K 2700K	T2 Type II	NL No Diffusion Lens	SF23804 Fits over a 2-3/8" O.D. x 4" L Tenon	BZ8 Zuma Bronze	D Dimming 0-10v	3DA 3 Decorative Arms, 120° Apart (Std)	BAA Buy American Act Compliant
	30W 2940-3390	HV 347-480v	3K 3000K	T3 Type III	FDL Anti-Glare Frosted Diffusion	SF304 Fits over a 3.0" O.D. x 4" L Tenon	BK GT Black	PC Photocell	2DA 2 Decorative Arms, 180° Apart	BABA Build America, Buy America Act Compliant
	40W 2940-4520		35K 3500K	T4 Type IV	ODL Anti-Glare Opal Diffusion	SF3504 Fits over a 3-1/2" O.D. x 4" L Tenon	SL Iridium Silver		4DA 4 Decorative Arms, 90° Apart	SKY Sky Night Friendly
	60W 5880-6780		4K 4000K	T5 Type V	FDLC FDL/C Anti-Glare Convex Frosted Diffusion	SF404 Fits over a 4.0" O.D. x 4" L Tenon	WH Alpine White			HSS 180° Houseside Shield
	80W 7840-9040		45K 4500K		ODLC ODL/C Anti-Glare Convex Opal Diffusion	CSFxxx Custom Slipfitter	GR2 Midnight Gray			HSSOP 180° Houseside Shield (Optics)
	90W 8820-10170		5K 5000K			WM Wall Mount	GRN Moss Green			MGF Marine Grade Finish
	120W 11760-13560		AMBR 560nm+				CCxxx¹ Custom Color			S Surge Protection
	150W 14700-16950									FN Finial
	160W 15680-18880									CS Concave Scroll

1 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.





ZUMALIGHTING

San Tropez

Project _____

Type _____

Qty _____

Company _____

Part # _____

Dimensions

