ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Morro

Overview

Specifications Housing The fixture housing is fabricated from spun aluminum. Electrical Components Zuma's high-performance LEDs leverage cutting-edge technology to enhance thermal management and ensure longevity. Each fixture is equipped with 80 CRI LEDs, with options for higher or lower CRI values available upon request. Available in Type II, III, IV, and V distributions with wide choice of color temperatures from CCT (2700K - 5000K). These LEDs are designed to fit LEDIL lenses with IP67 rating. This fixture can be specified with Sky Night Friendly optics, designed to minimize light pollution and upward light spill. For dynamic lighting control, 0-10V dimming capabilities are available upon request. Additional control options are outlined in the specifications above. For custom integration needs, controls can be tailored to seamlessly connect with existing management systems. For more detailed information or to discuss custom solutions, please contact our sales team. All exterior hardware is corrosion resistant stainless steel, supplied in its natural stainless finish. Color matched hardware is available on request for select finishes; consult factory.

MARINE GRADE FINISH

SKY NIGHT FRIENDLY

BAA / BABA OPTIONAL



Lens

Optional anti-glare diffusion lens available, fabricated from acrylic and can be specified frosted or opal, flat or convex. Fixtures specificed without diffusion lens are equipped with exposed optical lens.

Mounting

Mounting options include:

- Over 3" OD (standard)
- Over 2-3/8" OD
- Arm Mount
- Wall Mount Fixture can also be installed on mounting arms, sold separately. Contact our sales team for more information.

Finish

Outdoor polyester powder coat, available in our Zuma standard finishes with a four-step pretreat process to ensure optimal adhesion and surface integrity. All standard finishes are provided in a fine texture with a matte sheen; additional textures and sheens are available upon request. Also available in custom RAL and in marine grade finish (MGF), specify.

Certificates & Warranty

- Designed to comply with UL 8750
- Suitable for Wet Locations
- 5-Year Warranty

Technical

- Operating Temperature: -40°F to 95°F (-40°C to 35°C)

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Morro

Example Code: MO-DT-20W-U-AMBR-T2-NL-4LSM-BZ8-D-BAA

Item	Style	Wattage	Volts	Color Temp	Optics	Lens	Mounting	Finish	Controls	Options
MO Morro	**DT** Dome Top	**20W** / 1960–2260	**U** 120-277v	**AMBR** 560nm+	**T2** Type II	**NL** No Diffusion Lens	**4LSM** 4 Legged Spider Mount	**BZ8** Zuma Bronze	**D** Dimming 0-10v	**BAA** Buy American Act Compliant
	FT Flat Top	**30W** / 2940–3390	**HV** 347-480v	**27K** 2700K	**T3** Type III	**FDL** Anti-Glare Frosted Diffusion	**SAM** Side Arm Mount	**BK** GT Black	**M** Motion Sensor	**BABA** Build America, Buy America Act Compliant
		40W / 2940–4520		**3K** 3000K	**T4** Type IV	**ODL** Anti-Glare Opal Diffusion	**WM** Wall Mount	**SL** Iridium Silver		**MGF** Marine Grade Finish
		60W / 5880–6780		**35K** 3500K	**T5** Type V			**WH** Alpine White		**SKY** Sky Night Friendly
		80W / 7840–9040		**4K** 4000K				**GR2** Midnight Gray		**HSS** Houseside Shield
		90W / 8820–10170		**45K** 4500K				**GRN** Moss Green		**S** Surge Protection
		120W / 11760–13560		**5K** 5000K				**CCxxx**[1] Custom Color		
		150W / 14700–16950								
		160W / 15680–18880								

1 Custom colors: Available in smooth and textured finishes. Also available in RAL and Sherwin Williams colors, consult factory.

Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126

ZUMALIGHTING

Project _____ Type _____ Qty _____

Company _____ Part # _____

Morro

Dimensions



Morro Fixture
The fixture housing is fabricated from one-pieces heavy duty aluminum



Product specifications and design subject to change, at any time, without notice.

Please consult Zuma Lighting for the most current information.

Zuma Lighting LLC | 3850 S. Santa Fe Ave. Los Angeles, CA 90058 | www.zumalighting.com | (310) 975-3126