



ZUMALIGHTING
QUALITY OUTDOOR SOLUTIONS



MODEL
KENSINGTON

TYPE
LED POST TOP

SERIES
HISTORICAL

ZUMA LIGHTING LLC
325 N LARCHMONT BLVD STE 406, LOS ANGELES, CA 90004
INFO@ZUMALIGHTING.COM • (310) 975-3126 • ZUMALIGHTING.COM

ORDERING INFORMATION








Model KENSINGTON
Type LED POST TOP
Series HISTORICAL



Kensington w/ optional FN8 Finial



Kensington w/ optional decorative spikes (SK) and transparent panel top (TP)

FIXTURE	CAPITAL	WATTAGE	VOLTS	LAMP / TEMP	OPTICS	MOUNT	LENS	COLOR	OPTIONS	
KEN (LED)	C1	20W	U = 120v- 277v	3K = 3000K	T3 = 180° pattern	A = 	TL = Clear Textured Glass	DB = Dark Bronze	M = Motion Sensor	
	C2	30W		4K = 4000K		B = 				CL = Clear Glass
	C3	40W	8 = 480v	5K = 5000K	T5 = 360° pattern	C = 	FL = Frosted Glass	WH = White	D = Dimming	
	C4	60W		8 = 480v		D = 				S = Surge Protection
	C5	80W		8 = 480v		E = 				
	C6	90W	8 = 480v	F = 	CC = Custom	FN = Finial (see accessories)				
	C7	120W	8 = 480v	G = 			SK = Decorative Spikes			
	150W	8 = 480v	(wall mount)	TP = Transparent Panel Top						
					I = post top					

ZUMA LIGHTING LLC

325 N LARCHMONT BLVD STE 406, LOS ANGELES, CA 90004

INFO@ZUMALIGHTING.COM • (310) 975-3126 • ZUMALIGHTING.COM

Fixture

Heavy duty cast aluminum housing atop LF style capital with optional decorative spikes above and below each of the (8) lens panels.

Lens


Lens styles available in clear textured tempered glass, clear tempered glass, and frosted tempered glass.

LED

UNIVERSAL LED, UL listed LED modules and drivers, combined with a vertical heat sink and into one configurable unit which gives precise light distribution. In either a type III or V pattern. It allows us to offer lumen adjustment on light output. These are 10CHIP, 500 LUMEN, 525 mA,,6v. 3.2watt per module, achieving 159 lumens per watt efficacy, 82CRI at 4000K. Beside maximizing heat dissipation surface, we also utilize convection- based heat management which creates additional air flow around the strips. Unlike a big metal heat sink where the temperature for the chips in the middle is higher than the rest, the heat of each of our modules gets dissipated evenly. This innovative heat dissipation design keeps the junction temperature low and ultimately prolongs the life of the LED strips. Our modules are covered by our standard 5-year warranty and are available in many of our fixture's designs. The drivers are dimmable 0-10v.

Finish

Thermoset polyester oven-baked powder coat, in Dark Bronze. Custom colors are available to your specification.



**Measurements vary w/ accessory type*

Spikes



No Spikes



With Spikes

Finial



FN1



FN2



FN3



FN4



FN5



FN6



FN7



FN8

Decorative Capital



C1



C2



C3



C4



C5



C7